



## BIGHORN CREEK

Bighorn Creek has a wide range of rich multi-colored hues of rust, bronze and copper created by the stone's iron content.

Flagstone is a stratified stone that splits into pieces suitable as paving stones



### Thin Veneer Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Grade	Product			
	Code	Thickness	Height	Length
BH Ledge Flats	BHLV	1/2"-1 1/2"	2-7"	6-16"+
BH Corners	BHC	1/2"-1 1/2"	2-7"	3-10"
BH Squares and Recs Flats	BHSLV	1/2"-1 1/2"	7-11"+	10-20"+
BH Squares and Recs Corners	BHSRC	1/2"-1 1/2"	7-11"+	3-10"
BH Random Flats	BHRV	1/2"-1 1/2"	3-8"	6-24"+
BH Big Face Random Flats	BHBFRV	1/2"-1 1/2"	8-16"+	10-24"+
BH Random Corners	BHRC	1/2"-1 1/2"	3-7"	3-10"
BH Stacked Ledge Flats - (see Index)	BHSLV	1/2"-1 1/2"	2-7"	6-16"+
BH Stacked Corners	BHSC	1/2"-1 1/2"	2-7"	3-10"
BH Dimensional 3-Course Veneer	BH3CLV	1/2"-1 1/2"	2-7"	6-16"+

- \* Veneer pallets available in 200 or 100 sf; corners available in 125 or 75 lf. Add \$0.50 per sf or lf for non-standard quantity pallets
- \* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package
- \* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf. Custom height (one height up to 7") add \$2.00/sf
- \* Veneer pallets weigh approx. 2,400 - 2,600 lbs, corner pallets weigh approx. 1,200 - 1,500 lbs
- \* BIGHORN CREEK IS NOT AVAILABLE IN TUMBLED

### Full Stone Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
BH Ledge	BHL	3-6"	2-7"	6-16"+	30-35
BH VE Stacked Ledge - (see Index)	BHSL	3-6"	2-7"	6-16"+	35-40
BH Squares and Rectangles	BHSR	3-6"	7-14"+	10-24"+	35-40
BH VE Ledge (2-5 sides cut) *New Lower Price*	BHDSL	3-6"	2-7"	6-16"+	35-40
BH Oversize Ledge	BHOSL	6-10"	7-14"+	6-16"+	20-25

### Landscape / Specialty Stone

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
BH 1" Minus Patio	BH1MP	1/2"-1 1/4"	6-16"+	6-16"+	140-160
BH 1-2" Patio	BH1-2P	3/4"-2 1/4"	6-16"+	6-16"+	100-120
BH 2-3" Patio	BH2-3P	1 3/4"-3 1/4"	6-16"+	6-16"+	55-65
BH 3-5" Patio	BH3-5P	2 3/4"-5 1/4"	6-16"+	6-16"+	35-40
BH 1" Minus Stand-up-Flag	BH1MF	1/2"-1 1/4"	16-48"+	16-48"+	140-160
BH 1-2" Stand-up-Flag	BH1-2F	3/4"-2 1/4"	16-48"+	16-48"+	100-120
BH 2-3" Stand-up-Flag	BH2-3F	1 3/4"-3 1/4"	16-48"+	16-48"+	55-65
BH Steps/Slabs (+/- 1") 2' to 5' lengths	BHSS	12-24"+	5-8"	24-60"+	N/A
BH Hearths/Mantels/Columns	BHHM	2-18"	12-24"	12-96"	N/A

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS



## BITTERROOT

The Bitterroot family of stone features vibrant hues of burgundy, gold and bronze set against a neutral background of grays and browns.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



### Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Grade	Product			
	Code	Thickness	Height	Length
BR Ledge Flats	BRLV	1/2"-1 1/2"	2-7"	6-16"+
BR Corners	BRC	1/2"-1 1/2"	2-7"	3-10"
BR Tumbled Ledge Flats	BRTL	1/2"-1 1/2"	2-7"	6-16"+
BR Tumbled Corners	BRTC	1/2"-1 1/2"	2-7"	3-10"
BR Squares and Recs Flats	BRSRLV	1/2"-1 1/2"	7-11"+	10-20"+
BR Squares and Recs Corners	BRSRC	1/2"-1 1/2"	7-11"+	3-10"
BR Tumbled Squares and Recs Flats	BRTSRLV	1/2"-1 1/2"	7-11"+	10-20"+
BR Tumbled Squares and Recs Corners	BRTSRC	1/2"-1 1/2"	7-11"+	3-10"
BR Random Flats	BRRV	1/2"-1 1/2"	3-8"	6-24"+
BR Big Face Random Flats	BRBFRV	1/2"-1 1/2"	8-16"+	10-24"+
BR Random Corners	BRRC	1/2"-1 1/2"	3-7"	3-10"
BR Stacked Ledge Flats - (see index)	BRSLV	1/2"-1 1/2"	2-7"	6-16"+
BR Stacked Corners	BRSC	1/2"-1 1/2"	2-7"	3-10"
BR Dimensional 3-Course Veneer	BR3CLV	1/2"-1 1/2"	2-7"	6-16"+

\* Veneer pallets available in 200 or 100 sf; corners available in 125 or 75 lf. Add \$0.50 per sf or lf for non-standard quantity pallets

\* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

\* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf. Custom height (one height up to 7") add \$2.00/sf

\* Veneer pallets weigh approx. 2,400 - 2,600 lbs, corner pallets weigh approx. 1,200 - 1,500 lbs

### Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product				
	Code	Bed Depth	Height	Length	Coverage per ton
BR Ledge	BRL	3-6"	2-7"	6-16"+	35-40
BR VE Stacked Ledge	BRSL	3-6"	2-7"	6-16"+	35-40
BR Tumbled Ledge	BRTL	3-6"	2-7"	6-16"+	35-40
BR Squares and Rectangles	BRSR	3-6"	7-14"+	10-24"+	35-40
BR Tumbled Squares and Rectangles	BRTSR	3-6"	7-14"+	10-24"+	35-40
BR VE Ledge (2-5 sides cut) *New Lower Price*	BRDSL	3-6"	2-7"	6-16"+	35-40
BR Oversize Ledge	BROSL	6-10"	7-14"+	6-16"+	20-25
1-2" BR Random	BR1-2R	3/4-2 1/4"	8-16"+	8-16"+	100-120
2-3" BR Random	BR2-3R	1 3/4-3 1/4"	8-16"+	8-16"+	55-65
3-5" BR Random	BR3-5R	2 3/4-5 1/4"	8-16"+	8-16"+	35-40

\* Tumbled product add \$40 / ton

### Landscape / Specialty Stone

Grade	Product				
	Code	Bed Depth	Height	Length	Coverage per ton
BR Drystack (160-500 lbs.)	BRSDS	10-16"	10-16"	10-16"	N/A
BR Boulders/Retaining Wall Rock (500-5000 lbs.)	BRB	18-42"+	18-42"+	18-42"+	N/A
BR Oversized Drystack (500-5000 lbs.)	BRODS	18-42"+	18-42"+	18-42"+	N/A
BR VE Random Wall Rock / Rip Rap	BRRWR	3-12"	3-12"	3-12"+	15-20
BR Steps/Slabs (+/- 1") 2' to 5' lengths	BRSS	12-24"+	5-8"	24-60"+	N/A
BR Hearths/Mantels/Columns	BRHM	2-18"	12-96"	12-96"	N/A

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS



## BUCKSKIN - THIN VENEER

Buckskin is distinguished by a soft range of colors from tan to darker grays.

A common sedimentary rock formed mostly of sand held together with a cement like substance.



### Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Grade	Product			
	Code	Thickness	Height	Length
BS Ledge Flats	BSLV	1/2"-1 1/2"	2-7"	6-16"+
BS Corners	BSC	1/2"-1 1/2"	2-7"	3-10"
BS Tumbled Ledge Flats	BSTLV	1/2"-1 1/2"	2-7"	6-16"+
BS Tumbled Corners	BSTC	1/2"-1 1/2"	2-7"	3-10"
BS Squares and Recs Flats	BSSRLV	1/2"-1 1/2"	7-11"+	10-20"+
BS Squares and Recs Corners	BSSRC	1/2"-1 1/2"	7-11"+	3-10"
BS Tumbled Squares and Recs Flats	BSTURLV	1/2"-1 1/2"	7-11"+	10-20"+
BS Tumbled Squares and Recs Corners	BSTSRC	1/2"-1 1/2"	7-11"+	3-10"
BS Random Flats	BSRV	1/2"-1 1/2"	3-8"	6-24"+
BS Big Face Random Flats	BSBFRV	1/2"-1 1/2"	8-16"+	10-24"+
BS Random Corners	BSRC	1/2"-1 1/2"	3-7"	3-10"
BS Stacked Ledge Flats - (see Index)	BSSLV	1/2"-1 1/2"	2-7"	6-16"+
BS Stacked Corners	BSSC	1/2"-1 1/2"	2-7"	3-10"
BS Dimensional 3-Course Veneer	BS3CLV	1/2"-1 1/2"	2-7"	6-16"+

\* Veneer pallets available in 200 or 100 sf; corners available in 125 or 75 lf. Add \$0.50 per sf or lf for non-standard quantity pallets

\* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

\* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf. Custom height (one height up to 7") add \$2.00/sf

\* Veneer pallets weigh approx. 2,400 - 2,600 lbs, corner pallets weigh approx. 1,200 - 1,500 lbs

### Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 150 lb per cubic foot

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
BS Ledge	BSL	3-6"	2-7"	6-16"+	35-40
BS Stacked Ledge - (see Index)	BSSL	3-6"	2-7"	6-16"+	35-40
BS Squares and Rectangles	BSSR	3-6"	7-14"+	10-24"+	35-40
1-2" Mossy Random Sandstone	BSM1-2R	3/4"-2 1/4"	8-16"+	8-16"+	100-120
2-3" Mossy Random Sandstone	BSM2-3R	1 3/4"-3 1/4"	8-16"+	8-16"+	55-65
3-5" Mossy Random Sandstone	BSM3-5R	2 3/4"-5 1/4"	8-16"+	8-16"+	35-40
BS Oversize Ledge	BSOSL	6-10"	7-14"+	6-16"+	20-25

\* Tumbled product add \$40 / ton

### Landscape / Specialty Stone / Cap

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
1" Minus BS Stand-up-Flag	BS1MF	1/2"-1 1/4"	16-48"+	16-48"+	140-160
1-2" BS Stand-up-Flag	BS1-2F	3/4"-2 1/4"	16-48"+	16-48"+	100-120
2-3" BS Stand-up-Flag	BS2-3F	1 3/4"-3 1/4"	16-48"+	16-48"+	55-65
1" Minus BS Patio	BS1MP	1/2"-1 1/4"	6-16"+	6-16"+	140-160
1-2" BS Patio	BS1-2P	3/4"-2 1/4"	6-16"+	6-16"+	100-120
2-3" BS Patio	BS2-3P	1 3/4"-3 1/4"	6-16"+	6-16"+	55-65
3-5" BS Random	BS3-5P	2 3/4"-5 1/4"	6-16"+	6-16"+	35-40
BS Steps/Slabs (+/-1") 2' to 5' lengths	BSSS	12-24"+	5-8"	24-60"+	N/A
BS Hearths/Mantels/Columns	BSHM	2-18"	12-96"	12-96"	N/A
BS Thin Veneer Standard Capstone	BSCAP	3"-4"	2 1/2"-3 1/2"	12"+	N/A
BS Full Stone Standard Capstone	BSCAP	7"-9"	2 1/2"-3 1/2"	12"+	N/A

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS

## CANYON CREEK

One of our most popular stones featuring rich colors ranging from chocolate brown, tans, and blue/gray tones — true to the Northern Rockies.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



## Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Grade	Product			
	Code	Thickness	Height	Length
CC Ledge Flats	CCLV	1/2"-1 1/2"	2-7"	6-16"+
CC Corners	CCC	1/2"-1 1/2"	2-7"	3-10"
CC Tumbled Ledge Flats	CCTLV	1/2"-1 1/2"	2-7"	6-16"+
CC Tumbled Corners	CCTC	1/2"-1 1/2"	2-7"	3-10"
CC Squares and Recs Flats	CCSRLV	1/2"-1 1/2"	7-11"+	10-20"+
CC Squares and Recs Corners	CCSRC	1/2"-1 1/2"	7-11"+	3-10"
CC Tumbled Squares and Recs Flats	CCTSRLV	1/2"-1 1/2"	7-11"+	10-20"+
CC Tumbled Squares and Recs Corners	CCTSRC	1/2"-1 1/2"	7-11"+	3-10"
CC Random Flats	CCRV	1/2"-1 1/2"	3-8"	6-24"+
CC Big Face Random Flats	CCBFRV	1/2"-1 1/2"	8-16"+	10-24"+
CC Random Corners	CCRC	1/2"-1 1/2"	3-7"	3-10"
CC Stacked Ledge Flats - (see Index)	CCSLV	1/2"-1 1/2"	2-7"	6-16"+
CC Stacked Corners	CCSC	1/2"-1 1/2"	2-7"	3-10"
CC Dimensional 3-Course Veneer	CC3CLV	1/2"-1 1/2"	2-7"	6-16"+

\* Veneer pallets available in 200 or 100 sf; corners available in 125 or 75 lf. Add \$0.50 per sf or lf for non-standard quantity pallets

\* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

\* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf. Custom height (one height up to 7") add \$2.00/sf

\* Veneer pallets weigh approx. 2,400 - 2,600 lbs, corner pallets weigh approx. 1,200 - 1,500 lbs

## Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
CC Ledge	CCL	3-6"	2-7"	6-16"+	35-40
CC VE Stacked Ledge (see Index)	CCSL	3-6"	2-7"	6-16"+	35-40
CC Tumbled Ledge	CCTL	3-6"	2-7"	6-16"+	35-40
CC Squares and Rectangles	CCSR	3-6"	7-14"+	10-24"+	35-40
CC Tumbled Squares and Rectangles	CCTSR	3-6"	7-14"+	10-24"+	35-40
CC VE Ledge - (2-5 sides cut) *New Lower Price*	CCDSL	3-6"	2-7"	6-16"+	35-40
CC Oversize Ledge	CCOSL	6-10"	7-14"+	6-16"+	20-25
1-2" CC Random	CC1-2R	3/4"-2 1/4"	8-16"+	8-16"+	100-120
2-3" CC Random	CC2-3R	1 3/4"-3 1/4"	8-16"+	8-16"+	55-65
3-5" CC Random	CC3-5R	2 3/4"-5 1/4"	8-16"+	8-16"+	35-40

\* Tumbled product add \$40 / ton

## Landscape / Specialty Stone

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
CC Drystack (160-500 lbs.)	CCDS	10-16"	10-16"	10-16"	N/A
CC Boulders/Retaining Wall Rock (500-5000 lbs.)	CCB	18-42"+	18-42"+	18-42"+	N/A
CC Oversized Drystack (500-5000 lbs.)	CCODS	18-42"+	18-42"+	18-42"+	N/A
CC VE Random Wall Rock / Rip Rap	CCRWR	3-12"	3-12"	3-12"+	15-20
CC Steps/Slabs (+/- 1") 2' to 5' lengths	CCSS	12-24"+	5-8"	24-60"+	N/A
CC Hearths/Mantels/Columns	CCHM	2-18"	12-96"	12-96"	N/A

All weights and dimensions approximate and may vary.

**WE ACCEPT SPECIAL ORDERS**

## FALLS CREEK

Falls Creek is a lighter toned product ranging from light tan to gold with occasional buff hues accenting the soft, warm texture.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



### Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Grade	Product			
	Code	Thickness	Height	Length
FC Ledge Flats	FCLV	1/2"-1 1/2"	2-7"	6-16"+
FC Corners	FCC	1/2"-1 1/2"	2-7"	3-10"
FC Tumbled Ledge Flats	FCTLV	1/2"-1 1/2"	2-7"	6-16"+
FC Tumbled Corners	FCTC	1/2"-1 1/2"	2-7"	3-10"
FC Squares and Recs Flats	FCSRLV	1/2"-1 1/2"	7-11"+	10-20"+
FC Squares and Recs Corners	FCSRC	1/2"-1 1/2"	7-11"+	3-10"
FC Tumbled Squares and Recs Flats	FCTSRLV	1/2"-1 1/2"	7-11"+	10-20"+
FC Tumbled Squares and Recs Corners	FCTSRC	1/2"-1 1/2"	7-11"+	3-10"
FC Stacked Ledge Flats - (see Index)	FCSLV	1/2"-1 1/2"	2-7"	6-16"+
FC Stacked Corners	FCSC	1/2"-1 1/2"	2-7"	3-10"
FC Dimensional 3-Course Veneer	FC3CLV	1/2"-1 1/2"	2-7"	6-16"+

\* Veneer pallets available in 200 or 100 sf; corners available in 125 or 75 lf. Add \$0.50 per sf or lf for non-standard quantity pallets

\* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

\* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf. Custom height (one height up to 7") add \$2.00/sf

\* Veneer pallets weigh approx. 2,400 - 2,600 lbs, corner pallets weigh approx. 1,200 - 1,500 lbs

### Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product				
	Code	Bed Depth	Height	Length	Coverage per ton
FC Ledge	FCL	3-6"	2-7"	6-16"+	35-40
FC VE Stacked Ledge - (see Index)	FCSL	3-6"	2-7"	6-16"+	35-40
FC Tumbled Ledge	FCTL	3-6"	2-7"	6-16"+	35-40
FC Squares and Rectangles	FCSR	3-6"	7-14"+	10-24"+	35-40
FC Tumbled Squares and Rectangles	FCTSR	3-6"	7-14"+	10-24"+	35-40
FC VE Ledge - (2-5 sides cut) *New Lower Price*	FCDSL	3-6"	2-7"	6-16"+	35-40
FC Oversize Ledge	FCOSL	6-10"	7-14"+	6-16"+	20-25

\* Tumbled product add \$40 / ton

### Landscape / Specialty Stone

Grade	Product				
	Code	Bed Depth	Height	Length	Coverage per ton
FC Drystack (160-500 lbs.)	FCDS	10-16"	10-16"	10-16"	N/A
FC Oversize Drystack (500-5000 lbs.)	FCODS	18-42"+	18-42"+	18-42"+	N/A
FC Boulders/Retaining Wall Rock (500-5000 lbs.)	FCB	18-42"+	18-42"+	18-42"+	N/A
FC Steps/Slabs (+/- 1") 2' to 5' lengths	FCSS	12-24"+	5-8"	24-60"+	N/A
FC Hearths/Mantels/Columns	FCHM	2-18"	12-96"	12-96"	N/A

All weights and dimensions approximate and may vary.

**WE ACCEPT SPECIAL ORDERS**

## GLACIER MOUNTAIN

This family of stone has a cream base with hues of gold, black and light grays running throughout.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



### Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Grade	Product			
	Code	Thickness	Height	Length
GM Ledge Flats	GMLV	1/2"-1 1/2"	2-7"	6-16"+
GM Corners	GMC	1/2"-1 1/2"	2-7"	3-10"
GM Tumbled Ledge Flats	GMTLV	1/2"-1 1/2"	2-7"	6-16"+
GM Tumbled Corners	GMTC	1/2"-1 1/2"	2-7"	3-10"
GM Squares and Recs Flats	GMSRLV	1/2"-1 1/2"	7-11"+	10-20"+
GM Squares and Recs Corners	GMSRC	1/2"-1 1/2"	7-11"+	3-10"
GM Tumbled Squares and Recs Flats	GMTSRLV	1/2"-1 1/2"	7-11"+	10-20"+
GM Tumbled Squares and Recs Corners	GMTSRC	1/2"-1 1/2"	7-11"+	3-10"
GM Random Flats	GMRV	1/2"-1 1/2"	3-8"	6-24"+
GM Big Face Random Flats	GMBFRV	1/2"-1 1/2"	8-16"+	10-24"+
GM Random Corners	GMRC	1/2"-1 1/2"	3-7"	3-10"
GM Stacked Ledge Flats - (see index)	GMSLV	1/2"-1 1/2"	2-7"	6-16"+
GM Stacked Corners	GMSC	1/2"-1 1/2"	2-7"	3-10"
GM Dimensional 3-Course Veneer	GM3CLV	1/2"-1 1/2"	2-7"	6-16"+

\* Veneer pallets available in 200 or 100 sf; corners available in 125 or 75 lf. Add \$0.50 per sf or lf for non-standard quantity pallets

\* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

\* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf. Custom height (one height up to 7") add \$2.00/sf

\* Veneer pallets weigh approx. 2,400 - 2,600 lbs, corner pallets weigh approx. 1,200 - 1,500 lbs

### Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
GM Ledge	GML	3-6"	2-7"	6-16"+	35-40
GM VE Stacked Ledge (see Index)	GMSL	3-6"	2-7"	6-16"+	35-40
GM Tumbled Ledge	GMTL	3-6"	2-7"	6-16"+	35-40
GM Squares and Rectangles	GMSR	3-6"	7-14"+	10-24"+	35-40
GM Tumbled Squares and Rectangles	GMTSR	3-6"	7-14"+	10-24"+	35-40
GM VE Ledge - (2-5 sides cut) *New Lower Price*	GMDSL	3-6"	2-7"	6-16"+	35-40
GM Oversize Ledge	GMOSL	6-10"	7-14"+	6-16"+	20-25
1-2" GM Random	GM1-2R	3/4"-2 1/4"	8-16"+	8-16"+	100-120
2-3" GM Random	GM2-3R	1 3/4"-3 1/4"	8-16"+	8-16"+	55-65
3-5" GM Random	GM3-5R	2 3/4"-5 1/4"	8-16"+	8-16"+	35-40

\* Tumbled product add \$40 / ton

### Landscape / Specialty Stone

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
GM Drystack (160-500 lbs.)					
GM Boulders/Retaining Wall Rock (500-5000 lbs.)	GMB	18-42"+	18-42"+	18-42"+	N/A
GM Oversized Drystack (500-5000 lbs.)	GMODS	18-42"+	18-42"+	18-42"+	N/A
GM VE Random Wall Rock / Rip Rap	GMRWR	3-12"	3-12"	3-12"+	15-20
GM Steps/Slabs (+/- 1") 2' to 5' lengths	GMSS	12-24"+	5-8"	24-60"+	N/A
GM Hearths/Mantels/Columns	GMHM	2-18"	12-96"	12-96"	N/A

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS

## LOON LAKE

Loon Lake comes in a wide array of colors including greens, bronze, browns, tans and slate grays with subtle sedimentary striations.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



## Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Grade	Product			
	Code	Thickness	Height	Length
LL Ledge Flats	LLL	1/2"-1 1/2"	2-7"	6-16"+
LL Corners	LLC	1/2"-1 1/2"	2-7"	3-10"
LL Squares and Recs Flats	LLSRLV	1/2"-1 1/2"	7-11"+	10-20"+
LL Squares and Recs Corners	LLSRC	1/2"-1 1/2"	7-11"+	3-10"
LL Random Flats	LLRV	1/2"-1 1/2"	3-8"	6-24"+
LL Big Face Random Flats	LLBFRV	1/2"-1 1/2"	8-16"+	10-24"+
LL Random Corners	LLRC	1/2"-1 1/2"	2-8"	3-10"
LL Stacked Ledge Flats - (see Index)	LLSLV	1/2"-1 1/2"	2-7"	6-16"+
LL Stacked Corners	LLSC	1/2"-1 1/2"	2-7"	3-10"
LL Dimensional 3-Course Veneer	LL3CLV	1/2"-1 1/2"	2-7"	6-16"+

\* Veneer pallets available in 200 or 100 sf; corners available in 125 or 75 lf. Add \$0.50 per sf or lf for non-standard quantity pallets

\* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

\* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf. Custom height (one height up to 7") add \$2.00/sf

\* Veneer pallets weigh approx. 2,400 - 2,600 lbs, corner pallets weigh approx. 1,200 - 1,500 lbs

\* LOON LAKE IS NOT AVAILABLE IN TUMBLED

## Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
LL Ledge	LLL	3-6"	2-7"	6-16"+	35-40
LL VE Stacked Ledge - (see Index)	LLSL	3-6"	2-7"	6-16"+	35-40
LL Squares and Rectangles	LLSR	3-6"	7-14"+	10-24"+	35-40
LL VE Ledge - (2-5 sides cut) *New Lower Price*	LLDSL	3-6"	2-7"	6-16"+	35-40
LL Oversize Ledge	LLOSL	6-10"	7-14"+	6-16"+	20-25
1-2" LL Random	LL1-2R	3/4-2 1/4"	8-16"+	8-16"+	100-120
2-3" LL Random	LL2-3R	1 3/4-3 1/4"	8-16"+	8-16"+	55-65
3-5" LL Random	LL3-5R	2 3/4-5 1/4"	8-16"+	8-16"+	35-40

\* NOT AVAILABLE IN TUMBLED

## Landscape / Specialty Stone

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
LL Drystack (160-500 lbs.)	LLDS	10-16"	10-16"	10-16"	N/A
LL Oversized Drystack (500-5000 lbs.)	LLODS	18-42"+	18-42"+	18-42"+	N/A
LL Boulders/Retaining Wall Rock (500-5000 lbs.)	LLB	18-42"+	18-42"+	18-42"+	N/A
LL VE Random Wall Rock / Rip Rap	LLRWR	3-12"	3-12"	3-12"+	15-20
LL Steps/Slabs (+/- 1") 2' to 5' lengths	LLSS	12-24"+	5-8"	24-60"+	N/A
LL Hearths/Mantels/Columns	LLHM	2-18"	12-96"	12-96"	N/A

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS

## ROCKY MOUNTAIN GOLD

This stone offers a beautiful warm color blend variety of browns, gold tones, bronze, tans and grays. It also features a unique dendrite fern pattern creating an additional signature look that will enhance the beauty of any project.

Argillite stone is any compact sedimentary rock composed mainly of clay materials.



### Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Grade	Product			
	Code	Thickness	Height	Length
RM Ledge Flats	RMLV	1/2"-1 1/2"	2-7"	6-16"+
RM Corners	RMC	1/2"-1 1/2"	2-7"	3-10"
RM Tumbled Ledge Flats	RMTLV	1/2"-1 1/2"	2-7"	6-16"+
RM Tumbled Corners	RMTC	1/2"-1 1/2"	2-7"	3-10"
RM Squares and Recs Flats	RMSRLV	1/2"-1 1/2"	7-11"+	10-20"+
RM Squares and Recs Corners	RMSRC	1/2"-1 1/2"	7-11"+	3-10"
RM Tumbled Squares and Recs Flats	RMTSRLV	1/2"-1 1/2"	7-11"+	10-20"+
RM Tumbled Squares and Recs Corners	RMTSRC	1/2"-1 1/2"	7-11"+	3-10"
RM Random Flats	RMRV	1/2"-1 1/2"	3-8"	6-24"+
RM Big Face Random Flats	RMBFRV	1/2"-1 1/2"	8-16"+	10-24"+
RM Random Corners	RMRC	1/2"-1 1/2"	3-7"	3-10"
RM Stacked Ledge Flats - (see index)	RMSLV	1/2"-1 1/2"	2-7"	6-16"+
RM Stacked Corners	RMSC	1/2"-1 1/2"	2-7"	3-10"
RM Dimensional 3-Course Veneer	RM3CLV	1/2"-1 1/2"	2-7"	6-16"+

\* Veneer pallets available in 200 or 100 sf; corners available in 125 or 75 lf. Add \$0.50 per sf or lf for non-standard quantity pallets

\* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

\* Custom thickness up to 2" add \$2.00 / sf, 2" to 3" add \$3.00 / sf. Custom height (one height up to 7") add \$2.00/sf

\* Veneer pallets weigh approx. 2,400 - 2,600 lbs, corner pallets weigh approx. 1,200 - 1,500 lbs

### Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
RM Ledge	RML	3-6"	2-7"	6-16"+	35-40
RM VE Stacked Ledge (see Index)	RMSL	3-6"	2-7"	6-16"+	35-40
RM Tumbled Ledge	RMTL	3-6"	2-7"	6-16"+	35-40
RM Squares and Rectangles	RMSR	3-6"	7-14"+	10-24"+	35-40
RM Tumbled Squares and Rectangles	RMTSR	3-6"	7-14"+	10-24"+	35-40
RM VE Ledge (2-5 sides cut) *New Lower Price*	RMDSL	3-6"	2-7"	6-16"+	35-40
RM Oversize Ledge	RMOSL	6-10"	7-14"+	6-16"+	20-25
1-2" RM Random	RM1-2R	3/4"-2 1/4"	8-16"+	8-16"+	100-120
2-3" RM Random	RM2-3R	1 3/4"-3 1/4"	8-16"+	8-16"+	55-65
3-5" RM Random	RM3-5R	2 3/4"-5 1/4"	8-16"+	8-16"+	35-40

\* Tumbled product add \$40 / ton

### Landscape / Specialty Stone

Grade	Product				Coverage per ton
	Code	Bed Depth	Height	Length	
RM Drystack (160-500 lbs.)	RMDS	10-16"	10-16"	10-16"	N/A
RM Boulders/Retaining Wall Rock (500-5000 lbs.)	RMB	18-42"+	18-42"+	18-42"+	N/A
RM Oversized Drystack (500-5000 lbs.)	RMODS	18-42"+	18-42"+	18-42"+	N/A
RM VE Random Wall Rock / Rip Rap	RMRWR	3-12"	3-12"	3-12"+	15-20
RM Steps/Slabs (+/- 1") 2' to 5' lengths	RMSS	12-24"+	5-8"	24-60"+	N/A
RM Hearths/Mantels/Columns	RMHM	2-18"	12-96"	12-96"	N/A

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS

## RAINBOW COBBLE / MONTANA GOLD COBBLE STONE

Rainbow Cobble has colors ranging from greens, blues, grays, mauves and golds.  
Montana Gold Cobble has colors ranging from golden brown to grays, tans and buckskin.

A rounded or partially rounded rock or mineral fragment shaped by glacial activity.



### Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight approximately 12-13 lbs / square foot

Grade	Product			
	Code	Thickness	Height	Length
MT Gold Cobble Veneer	GRV	1/2"-1 1/2"	4-12"	4-12"
MT Gold Corners	GRC	1/2"-1 1/2"	4-10"	4-10"
Rainbow Cobble Veneer	RRV	1/2"-1 1/2"	4-12"	4-12"
Rainbow Cobble Corners	RRC	1/2"-1 1/2"	4-10"	4-10"

\* Pallet coverage is 200 sf for veneer and 125 lf for corners per pallet

\* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

\* Veneer pallet approximately 2,400-2,600 lbs, veneer corner pallet approximately 1,300-1,500 lbs

\* COBBLE IS NOT AVAILABLE IN TUMBLED

### Full Stone

Coverage based upon a 1/2" mortar joint. Weight approximately 160 lb per cubic foot

Grade	Product				
	Code	Bed Depth	Height	Length	Coverage per ton
Rainbow Small Cobble	RR2-4C	2-4"	2-4"	2-4"	40-50
Rainbow River Cobble	RR3-6C	3-6"	4-12"	4-12"	40-50
Rainbow Oversize Cobble	RROSC	6-12"	8-18"	8-18"	25-30
Montana Gold Cobble Small	GR2-4C	2-4"	2-4"	2-4"	40-50
Montana Gold Cobble	GR3-6C	3-6"	4-12"	4-12"	40-50
Montana Gold Oversize Cobble	GROSC	6-12"	8-18"	8-18"	25-30
Montana Gold Cobble Flats/Skippers	GRFS	1-3"	6-12"	6-12"	55-65

All weights and dimensions approximate and may vary.

**WE ACCEPT SPECIAL ORDERS**



## VE PRODUCT LINE (VALUE ENGINEERED)

Products Designed to Save  
Time and Money



### Thin Veneer

Coverage based upon a 1/2" mortar joint. Weight  
approximately 12-13 lbs / square foot

Grade	Product Code	Thickness	Height	Length	
VE - Stillwater Blend Split-Face Flats	STSFLV	1/2"-1 1/2"	2-7"	6-16"+	
VE - Stillwater Blend Split-Face Corners	STSFC	1/2"-1 1/2"	2-7"	3-10"	
VE - Montana Mountain Blend Random Veneer	MMRV	1/2"-1 1/2"	2-7"	6-16"+	
VE - Montana Mountain Blend Corners	MMC	1/2"-1 1/2"	2-7"	3-10"	
VE - Stacked Ledge Flats (parallel top/bottom)	XXSLV	1/2"-1 1/2"	2-7"	6-16"+	
VE - 3/4" Minus Small Random Flats (BR, CC)	XX0.75MRV	1/2"-1 1/2"	3-8"	6-24"+	
VE - 1.5" Plus Small Random Flats (BR, CC)	XX1.5PRV	1/2"-1 1/2"	3-8"	6-24"+	
VE - Bighorn Thin Strip 1 Course	BHVE1CV	1/2"-1 1/2"	1-6"	6-10"+	
VE - Bighorn Thin Strip 2 Course	BHVE2CV	1/2"-1 1/2"	1-6"	6-10"+	
VE - Bighorn Thin Strip 3 Course	BHVE3CV	1/2"-1 1/2"	1-6"	6-10"+	

\* Pallet coverage is 200 sf for veneer and 125 lf for corners per pallet

\* HandiPak coverage is 10 sf for veneer and 5 lf for corners per package

\* Custom thickness - \$1.00/sf, custom height - \$2.00/sf

\* Veneer pallet approximately 2,400-2,600 lbs, veneer corner pallet approximately 1,300-1,500 lbs

### Full Stone

Coverage based upon a 1/2" mortar joint. Weight  
approximately 160 lb per cubic foot

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton
VE Stacked Ledge	XXSL	3-6"	2-7"	6-16"+	35-40
VE Stillwater Blend Split-Face Ledge	STSFL	3-6"	2-7"	6-16"+	45-55
VE Small-Face Ledge (CC, LL, BR)	XXDHL	2-6"	1-6"	3-6"	35-40
VE Shims (BR, CC, LL)	XXS	2-8"	1-3"	3-6"+	55-65
VE 1-2" CC Random - Purple Core	CC1-2R-PR	3/4"-2 1/4"	6-16"+	6-16"+	100-120
VE 2-3" CC Random - Purple Core	CC2-3R-PR	1 3/4"-3 1/4"	6-16"+	6-16"+	55-65
VE 1-2" CC Random - Green Core	CC1-2R-GR	3/4"-2 1/4"	6-16"+	6-16"+	100-120
VE 2-3" CC Random - Green Core	CC1-2R-GR	1 3/4"-3 1/4"	6-16"+	6-16"+	55-65

\*VE Ledge and Stacked Ledge available in Canyon Creek, Bitterroot, Loon Lake, Glacier Mountain, Falls Creek, Bighorn

\*XX denotes stone species e.g. CC (Canyon Creek)

### Landscape / Specialty Stone

Grade	Product Code	Bed Depth	Height	Length	Coverage per ton
VE Random Wall Rock/Rip Rap (CC, BR, LL)	XXRWR	3-12"	3-12"	3-12"+	15-20

\*XX denotes stone species BR (Bitterroot), CC (Canyon Creek), LL (Loon Lake)

All weights and dimensions approximate and may vary.

WE ACCEPT SPECIAL ORDERS

# Price List Index



**Full Stone - VE Ledge**  
 Natural face with one to five sawn edges. Perfect for price sensitive building projects. Use as stand alone or blend with our natural ledge. Product can be tumbled to provide a unique ledge layup (shown on right)



**Thin Veneer - VE Drystack Ledge**  
 Natural face with one or more sawn edges (this product may include parallel top and bottom and non-parallel cuts). Perfect for drystack or tight joint linear applications



**Stillwater Full Stone/Thin Veneer VE Split Face Ledge**  
 Split face with one or more sawn edges. Cost effective stone for jobs requiring more of a textured look. Colors range light to dark gray, tan and blue/green.



## New Products:

### Ledge Patterned Tiles

Ledge material with 4 cut sides approximately 90 degree angles designed for easy layup in a tile pattern. (varying sizes)

### Squares & Recs Patterned Tiles

Squares and recs material with 4 cut sides approximately 90 degree angles designed for easy layup in a tile pattern. (varying sizes)

### 3 Course Veneer

Ledge material with cut parallel tops and bottoms in 3 sizes for a simple layup per course (height examples: 1.25"/3.25"/5": 1/4" mortar joint). Call

### Small Face Ledge

Smaller ledge pieces that can be blended in with our natural ledge or used for smaller jobs such as BBQ's, kitchens or outdoor living spaces

### Cut Back Ledge

Standard ledge product with the backside of the stone cut leaving natural faces and natural or split tops, bottom or sides

### Value Engineered (VE) Ledge

Standard ledge product with one or more sides of the stone cut while leaving natural or split faces. Available in veneer with one or more cut edges.

### Value Engineered (VE) Stacked Ledge

Available in Thin Veneer and Full Stone this product is a job time saver as the top and bottom have been saw cut to provide parallel edges for quick drystack layup

# Customer Acknowledgement

Stone is a natural product and subject to color and texture variations. Part of the attractiveness of these products of nature is subtle imperfections found in color, uniformity and texture. These imperfections add to its unique character and natural beauty. Customer assumes all responsibility for stone selection. When ordering for a project, please order full quantity at one time as color, consistency and shape will vary due to quarry locations and color matching cannot be guaranteed.

All sales are final. Delivery charges not included. Glacier Stone will arrange trucking for a 5% fee of the delivery charge. Glacier Stone Delivery Charges: \$95/hr without loader; \$135.00/hr with loader (time for round-trip).

Prices are F.O.B. Glacier Stone Supply, Kalispell, Montana.

Prices subject to change without notice

Glacier Stone will invoice customers from either the ship date or seven days after the completion date, whichever is sooner. Glacier Stone will add a storage fee of \$100/month if order has not been picked up after 30 days of completion.

A 1.5% per month Finance fee will be charged for any late payments

The customer understands that all natural products react to the elements and may change color over time or delaminate.

Each stone is unique in shape and size.

Glacier Stone recommends discussing sealing options with certified installer or mason. Glacier will not be responsible for the decision made. Customers should discuss the following with certified installer or mason:

- Installing Bitterroot or Wolf Creek products on or near a water feature or pool.
- Bighorn and Wolf Creek contain a certain amount of iron, thus the issue of bleeding should be discussed
- Cleaning natural stone with a cement or stone cleaner and allowing it to completely dry.
- Mixing too much lime or calcium in their mortar mix, to avoid "bleeding".
- Sealing all natural stone after it is set in mortar.
- Avoiding ACID WASHING

Glacier Stone is not responsible for improper installation and furthermore Glacier Stone is not a certified installer and will not make any recommendations for installation. Any verbal recommendations from any Glacier Stone employee shall not be considered accepted by the company. Customer should consult certified installer or mason for recommendations.

For any issues with invoice or non-conforming product, contact the main office at 406-755-5717.

There is No warranty against any stone "bleeding", changing colors, mineral leaching or any other natural weathering issues by Glacier Stone Supply.

**Company Name:** \_\_\_\_\_

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date